



RZFD-330TF(P)

With Printing Inline

www.mted.com



Engineering a Greener Tomorrow



Employees

200+



Countries Covered

120+



Patents

130+



Satisfied Clients

2600+

Ruizhi Machinery

No. 889 Xinggong Road , Wanquan Town ,
Pingyang ,Wenzhou ,Zhejiang

T: +86 152-5879-7960


sales@wzruizhi.com




I Specifications

Model	RZFD-330TF with Printing Inline
Cut-off Length	270-530mm
Cut-off Length (with Handle)	270-430mm
Bag Width	120-330mm
Bag Width (with Handle)	200-330mm
Bag Bottom Width	70-180mm
Bag Bottom Width(with Handle)	80-180mm
Basis Weight	60-150g/ m ²
Basis Weight(with Handle)	80-150g/ m ²
Roll Width	400-1050mm
Roll Width(with Handle)	580-1050mm
Roll Diameter	1500mm
Core Inner Diameter	76mm
Handle Patch Length (Round Cord)	152mm
Handle Patch Width (Round Cord)	40-50mm
Paper Cord Length (Round Cord)	360mm/350mm
Paper Cord Pitch	75mm
Handle Cord Diameter	3-5mm
Handle Patch Roll Width	80-100mm
Handle Patch Roll Diameter	1200mm
Handle Patch Basis Weight	90-110g/ m ²
Flat Cord Width	12/15mm
Flat Cord Height	90mm
Handle Patch Width (Flat Cord)	40-50mm
Handle Patch Length (Flat Cord)	152mm
Paper Cord Length (Flat Cord)	352mm
Machine Speed	30-220pcs/min
Bag Making Speed(with Handle)	30-150pcs/min
Bag Making Speed	30-180pcs/min
Required Compressed Air	More than 0.4m ³ /min, 0.5-0.8MPa
Electrical Specifications	380V Three-Phase Four-Wire 53kw
Machine Weight	22000kg
Machine Dimensions	17800×6000×3300mm

I Paper Bag Forming Process





I Main Features

- + **Quality Assurance:** Ruizhi Machinery square bottom paper bag machine, committed to international standards, ensures our equipment delivers unparalleled quality and performance, consistently setting the benchmark in the industry.
- + **High Safety Standards:** Ruizhi Machinery square bottom paper bag machine, with a full-cover safety shield and automatic shutdown alarm, ensures safe operation while protecting the product from external interference.
- + **Efficient Production:** Ruizhi Machinery square bottom paper bag machine, with its automated production line, produces 150 square bottom paper bags per minute, significantly reducing labor costs and enhancing productivity.
- + **Modular Design:** Ruizhi Machinery square bottom paper bag machine, with the independent operation and coordination of modules (feeding, forming, and sealing) minimize downtime, streamline production, and ensure fast, efficient paper bag manufacturing.

I Applications

- + Leisure Food Bags
- + Bread Bags
- + Dried Fruit Bags