




RZFD-450AT(P)

With Printing Inline

www.mted.com





I Main Features

- + **Quality Assurance:** Ruizhi Machinery square bottom paper bag machine, committed to international standards, ensures our equipment delivers unparalleled quality and performance, consistently setting the benchmark in the industry.
- + **High Safety Standards:** Ruizhi Machinery square bottom paper bag machine, with a full-cover safety shield and automatic shutdown alarm, ensures safe operation while protecting the product from external interference.
- + **Efficient Production:** Ruizhi Machinery square bottom paper bag machine with handle inline, with its automated production line, produces 120 square bottom paper bags with handle inline per minute, significantly reducing labor costs and enhancing productivity.
- + **Modular Design:** Ruizhi Machinery square bottom paper bag machine, with the independent operation and coordination of modules (feeding, forming, and sealing) minimize downtime, streamline production, and ensure fast, efficient paper bag manufacturing.


I Applications

- + Leisure Food Bags
- + Bread Bags
- + Dried Fruit Bags

I Specifications

Model	RZFD-450AT with Printing Inline
Cut-off Length	300-630mm
Cut-off Length (with Handle)	300-530mm
Bag Width	220-450mm
Bag Width (with Handle)	240-450mm
Bag Bottom Width	100-200mm
Bag Bottom Width(with Handle)	100-200mm
Basis Weight	80-150g/ m ²
Basis Weight(with Handle)	80-150g/ m ²
Roll Width	660-1320mm
Roll Width(with Handle)	700-1320mm
Roll Diameter	1500mm
Core Inner Diameter	76mm
Handle Patch Length	190mm
Handle Patch Width	40-50mm
Paper Cord Length (Round Cord)	360mm
Paper Cord Pitch	95mm
Handle Cord Diameter	3-5mm
Handle Patch Roll Width	80-100mm
Handle Patch Roll Diameter	1200mm
Handle Patch Basis Weight	90-110g/ m ²
Handle Height	100mm
Machine Speed	30-180pcs/min
Bag Making Speed	30-150pcs/min
Bag Making Speed(with Handle)	30-120pcs/min
Printing Width	100-1260mm
Printing Length	270-800mm
Printing Speed	10-100m/min
Color Accuracy	≤±0.20mm
Plate Thickness	2.28mm+0.38mm
Required Compressed Air	More than 0.4m ³ /min, 0.5-0.8MPa
Machine Weight	21000kg
Machine Dimensions	17800×6000×3300mm
Electrical Specifications	380V Three-Phase Four-Wire 55kw

I Paper Bag Forming Process



Engineering a Greener Tomorrow



Employees

200+



Countries Covered

120+



Patents

130+



Satisfied Clients

2600+

Ruizhi Machinery

No. 889 Xinggong Road , Wanquan Town ,
Pingyang ,Wenzhou ,Zhejiang

T: +86 152-5879-7960

sales@wzruizhi.com

