




RZJD-G250J

Flat Bottom Paper Bag Machine

www.mted.com

MTED



I Main Features

- + **Quality Assurance:** Committed to international standards, we ensure our equipment delivers unparalleled quality and performance, consistently setting the benchmark in the industry.
- + **High Safety Standards:** With a full-cover safety shield and automatic shutdown alarm, the equipment ensures safe operation while protecting the product from external interference.
- + **Efficient Production:** The automated production line produces 300 to 350 paper bags per minute, significantly reducing labor costs and enhancing productivity.
- + **Modular Design:** The independent operation and coordination of modules (feeding, pre-punching, and bottom-folding) minimize downtime, streamline production, and ensure fast, efficient paper bag manufacturing.


I Applications

- + Leisure Food Bags
- + Bread Bags
- + Dried Fruit Bags

I Specifications

Model	RZJD-G250J
Cut-off Length	110-460mm
Bag Length	100-450mm
Bag Width	70-250mm
Gusset Width	20-120mm
Bag Mouth Height	15/20mm
Bag Making Speed	50-500pcs/min 90m/min
Roll Width	160-780mm
Roll Diameter	1000mm 400KG
Core Inner Diameter	76mm
Basis Weight	35-80g/ m ²
Required Compressed Air	More than 0.2m ³ /min, 0.5-0.8MPa
Electrical Specifications	380V Three-Phase Four-Wire 24kw
Machine Weight	5400kg
Machine Dimensions	6500×2800×2000mm

I Paper Bag Forming Process



Engineering a Greener Tomorrow



Employees

200+



Countries Covered

120+



Patents

130+



Satisfied Clients

2600+

Ruizhi Machinery

No. 889 Xinggong Road , Wanquan Town ,
Pingyang ,Wenzhou ,Zhejiang

T: +86 152-5879-7960

sales@wzruizhi.com

